Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владикавказ (8672)28-90-48 Волоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Ижевск (3412)26-03-58 Иваново (4932)77-34-06 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Капуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (3496)41-32-12 Омск (33812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37

Псков (8112)59-10-37 Россия (495)268-04-70 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Саранск (8342)22-96-24 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сыктывкар (8212)25-95-17 Сургут (3462)77-98-35 Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35 Тольяти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Улан-Удэ (3012)59-97-51 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-3-48-3 Якутск (4112)23-90-97

Ярославль (4852)69-52-93

https://schmitz.nt-rt.ru || szk@nt-rt.ru











varimed® 9



varimed®
Couches, stools, multipurpose trolleys
and examination seats
The indispensable helper in your daily routine.

Quality and longevity

High-quality materials combined with outstanding workmanship guarantee the longevity of our products.

The everyday helper

medi-net multipurpose trolley – our reliable helper that you can count on throughout your workday.





varimed® 11














 $varimed^{\tiny{\circledR}}$










varimed® I Couches 15

varimed® C€™ **Couches**

classic ² comfort




Model No. Description

Examination couch¹23 C€™D 211.1080.0

rectangular steel tube frame, powder coated RAL 9002, RAL 9006 or RAL 9007, 2-section 50 mm thick foam rubber upholstery, levelling feet, head section adjustable up to +40°,

 680×650 mm (H x W), safe working load: 225 kg.



211.1180.0 Examination couch¹23 C€™

rectangular steel tube frame, powder coated RAL 9002, RAL 9006 or RAL 9007, 2-section 70 mm thick foam rubber upholstery, levelling feet, head section adjustable up to +40°, 680×650 mm (H x W), safe working load: 225 kg.



211.1190.0 Examination couch¹² C€™

chromium-plated frame, otherwise like 211.1180.0



200.0970.0 Paper roll holder

for paper roll up to 500 mm width



200.1030.0 Paper roll

500 mm wide



200.6500.0 **Coloured frame**

(w/o ill.) acc. to colour chart, for 211.1080.0 and 211.1180.0

Surcharge

Note:

200.4380.0 Head section with nose inlet

(w/o ill.) for 211.1180.0 and 211.1190.0 Surcharge

massage treatment, couches with transverse and longitudinal bracings are

recommended!

For orthopaedic and


200.4390.0 Filling for nose inlet (w/o ill.)

All examination couches with spacer block between frame and upholstery!

- 4 colours for leatherette upholstery in "classic" quality without surcharge.
- 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.
- Standard powder-coating colours for frame: grey-white 9002, white aluminium RAL 9006 or grey aluminium RAL 9007. Please indicate desired colour upon order placement.

varimed® C€™ Couches

¹ classic ² comfort



Model No. Description

211.1310.0 ECG Examination couch¹23 C€™

rectangular steel tube frame, powder coated RAL 9002, RAL 9006 or RAL 9007, with lateral bracing, 70 mm thick foam rubber upholstery with 2-section cover, levelling feet, head section adjustable up to +40°, 680 × 800 mm (H x W), safe working load: 225 kg.

211.1320.0 ECG Examination couch¹² C€™

chromium-plated frame, otherwise like 211.1310.0



200.0940.0 Paper roll holder

for 800 mm wide couches



200.1030.0 Paper roll

500 mm wide

200.5100.0 Longitudinal bracing

(w/o ill.) powder coated RAL 9002, RAL 9006 or RAL 9007,

for 211.1310.0

200.5110.0 Longitudinal bracing

(w/o ill.) chromium-plated, for 211.1320.0

200.5120.0 Longitudinal bracing

(w/o ill.) powder coated according to colour chart

200.6500.0 Coloured frame

(w/o ill.) acc. to colour chart, for 211.1310.0

Surcharge

⁴ colours for leatherette upholstery in "classic" quality without surcharge.

² 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.

Standard powder-coating colours for frame: grey-white 9002, white aluminium RAL 9006 or grey aluminium RAL 9007. Please indicate desired colour upon order placement.

varimed® I Couches 17

Model No.	Description	
200.0000.0 (w/o ill.)	Different height up to max. 830 mm (from 700 mm height upwards, including transverse and longitudinal bracing) for couches 211.1180.0 – 211.1320.0	Surcharge
200.0010.0 (w/o ill.)	Mobility for couches 211.1180.0 - 211.1320.0, 4 swivel-mounted castors diam. 125 mm, 2 castors with total locking device, antistatic, 1 castor with directional locking, with revolving bumpers diam. 150 mm, longitudinal bracing. All castors are resistant to abrasions. (please indicate desired final height of couch!)	Surcharge
200.0020.0 (w/o ill.)	Different width ⁴ of +/- 150 mm (max. width of 900 mm) for couches 211.1180.0 – 211.1320.0	Surcharge⁴
200.0030.0 (w/o ill.)	Different length ⁴ of +/- 150 mm for couches 211.1180.0 – 211.1320.0	Surcharge ⁴

If both special height and width are required, the surcharge will only be applicable once.



varimed® I Couches 19

varimed[®] C€[™]Couches

¹ classic ² comfort

1950

Model No. Description

211.1330.0 Bariatric couch¹² C€™

chromium-plated rectangular steel tube frame, with transverse and longitudinal bracing, 2-section mattress, 70 mm thick foam rubber upholstery, levelling feet, head section adjustable up to +40°, 680 × 800 mm (H x W). Safe working load: 300 kg. Mobile version and special widths/lengths

not available!

200.0940.0

Paper roll holder

for 800 mm wide couches



200.1030.0 Paper roll

500 mm wide

⁴ colours for leatherette upholstery in "classic" quality without surcharge.

² 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.

varimed® C€™ Mobile couches, recovery couches

classic ² comfort

Model No.

Description

211.9301.0 Examination and massage couch¹²³

with transverse and longitudinal bracing, rectangular steel tube frame, powder coated RAL 9002, RAL 9006 or RAL 9007, with 4 swivel-mounted castors diam. 125 mm, 2 castors with total locking device, antistatic, 1 castor with directional locking, with revolving bumpers diam. 150 mm, 70 mm foam rubber upholstery with 2-section cover, head section adjustable up to +40°, 680×650 mm (H x W), safe working load: 225 kg.

211.9351.0

Examination and massage couch¹²

chromium-plated frame, otherwise like 211.9301.0.

211.9501.0 Recovery couch¹²

chromium-plated rectangular steel tube frame, with transverse and longitudinal bracing, with 4 swivel castors diam. 125 mm, 2 castors with total locking device, antistatic, 1 castor with directional locking, with revolving bumpers diam. 150 mm. 70 mm thick foam rubber upholstery with 2-section cover, head section adjustable up to +40°, 830 × 650 mm (H x W). Equipped with 2 side guards with attachments, chromium-plated, can be lowered down to height of upholstery. Safe working load: 225 kg.

All examination couches with spacer block between frame and upholstery!

211.9511.0 Recovery couch¹²

chromium-plated frame, 680 mm height, otherwise like 211.9501.0.

⁴ colours for leatherette upholstery in "classic" quality without surcharge.

¹⁵ colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.

Standard powder-coating colours for frame: grey-white 9002, white aluminium RAL 9006 or grey aluminium RAL 9007. Please indicate desired colour upon order placement.






200.0970.0 Paper roll holder

for paper roll up to 500 mm width.




200.1030.0 Paper roll

500 mm wide.



200.4900.0 1 Side guard and 1 side rail piece

side guard laterally adjustable on side rail, chromium-plated, with clamp, fitted to rectangular steel tube frame couches, may be lowered down to height of upholstery. piece



200.4950.0 1 Side guard with clamp

screwed, rigid connection, fitted to rectangular steel tube frame couches, chromium-plated, may be lowered down to height of upholstery.

piece

 'n

200.0020.0 Different width of 800 mm

(w/o ill.) for couches 211.9301.0 to 211.9511.0.

Surcharge



200.5500.0 Storage basket

formed to nest onto transverse or longitudinal bracing, basket 520 × 490 × 140 mm, chromium-plated.

200.6500.0 Coloured frame

(w/o ill.) acc. to colour chart, for 211.9301.0. Surcharge

All castors are non-marking and resistant to abrasions.











varimed® C€™ Height adjustable examination and treatment couches

¹ classic ² comfort

Model No.

Description

211.4100.0 Examination and treatment couch¹²³

hydraulic height adjustment 500 to 920 mm by means of foot lever. Servo-assisted head section adjustment from -20° to +40°. 2-section upholstery 70mm thick, leatherette cover acc. to SCHMITZ colour chart. Powder coated chassis in white aluminium RAL 9006, grey aluminium RAL 9007 or grey white RAL 9002. Silver-grey plastic chassis cover.

With 4 levelling feet. Safe working load: 225 kg

211.4110.0 Examination and treatment couch¹²³

800 mm wide, otherwise like 211.4100.0.



211.4200.0 Examination and treatment couch¹²³

electromotive height adjustment from 500 to 920 mm by means of foot control unit, with safety ON/OFF switch to turn control element on or off, 2.40 m connecting cable with mains plug, otherwise like 211.4100.0.

Upon request, hand control instead of foot control unit.

211.4210.0 Examination and treatment couch¹²³

800 mm wide, otherwise like 211.4200.0.

- 4 colours for leatherette upholstery in "classic" quality without surcharge.
- ² 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.
- Standard powder-coating colours for frame: grey-white 9002, white aluminium RAL 9006 or grey aluminium RAL 9007. Please indicate desired colour upon order placement.

varimed® C€™ Height adjustable examination and treatment couches

Model No. Description

200.0250.0 Mobility

4 closed double castors Ø 100 mm,

2 of which el. conductive, central lock per axis,

1 castor with directional lock.

(Height adjustment range remains the same.)

For mobility for retrofitting, please contact our service team.



200.0400.0 Side guards, pair

length: 990 mm, folding down to below top of mattress, powder coated white aluminium RAL 9006.



200.0350.0 Holder for foot control

for Examination and Treatment couches 211.4200.0 and 211.4210.0, of steel, powder coated white aluminium RAL 9006, for mounting at the long side of the couch (retrofittable)

200.0930.0 Paper roll holder

(w/o ill.) for paper roll up to 590 mm wide.

200.1030.0 Paper roll (w/o ill.) 500 mm wide

200.0410.0 **Edge protection**

(w/o ill.) of plastic, grey, at all four upholstery corners

200.0500.0 Head section with nose outlet Surcharge (w/o ill.)

200.0510.0 Filler for nose outlet (w/o ill.)

Surcharge

Surcharge

Model No. Description

200.4402.0 Side rail (piece)

(w/o ill.) for Examination and Treatment couches 211.4100.0,

211.4110.0, 211.4200.0 and 211.4210.0, mounting either side, $25 \times 10 \times 750$ mm, max. charge 30 kg, cannot be combined with side guards 200.0400.0.

for 211.4100.0, 211.4110.0, 211.4200.0 and 211.4210.0.

200.0251.0 ECG shield

(w/o ill.) with one potential equalization sockets each LHS and

RHS as well as screening plate to reduce disturbance,

suitable for 650 mm wide couches.

200.0252.0 ECG shield

(w/o ill.) for 800 mm wide couches, otherwise like 200.0251.0.

200.6530.0 Surcharge for coloured chassis

(w/o ill.) acc. to colour chart. Surcharge







varimed® Swivel stools, Examination seats, Medical furniture

¹ classic ² comfort




Model No. Description

222.2810.0 Swivel stool¹²

5-arm plastic base, black, chromium-plated column, friction braked double castors for smooth/hard floors, height adjustment by means of "anatomic-lift" gas spring, with hand ring release, chromium-plated column, leatherette upholstered seat. Please specify double castors for use on carpeting upon order, if required. Safe working load: 135 kg.

200.8000.0 Powder coated base according to colour chart chromium-plated column.

Surcharge




222.2760.0 Swivel stool¹²

5-arm polished aluminium base, chromium-plated column, friction-braked double castors for smooth/hard floors, height adjustment by means of "anatomic-lift" gas spring, with hand ring release, leatherette upholstered seat. Please specify double castors for use on carpeting upon order, if required. Safe working load: 135 kg.

- 4 colours for leatherette upholstery in "classic" quality without surcharge.
- ² 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.

varimed® Swivel stools, Examination seats, Medical furniture

¹ classic ² comfort




Model No. Description

222.1550.0 Examination stool¹²

specially designed upholstered seat with leatherette cover acc. to colour chart, height adjustment from 490 to 690 mm by means of gas spring, with foot ring release. 5-arm base powder coated in grey aluminium RAL 9007, with antistatic plastic castors Ø 50 mm for smooth/hard floors, with perimetral black bumper protection.

Safe working load: 135 kg.



222.1570.0 Examination stool¹²

specially designed upholstered seat with leatherette cover acc. to colour chart, height adjustment from 490 to 690 mm by means of gas spring, with foot ring release, foam rubber backrest with leatherette cover, 5-arm base powder coated in grey aluminium RAL 9007, with antistatic plastic castors Ø 50 mm for smooth/hard floors, with perimetral black bumper protection.

Safe working load: 135 kg.

200.0011.0 Brake loaded castors


braked when loaded, released when you come off the stool. For examination seats 222.1550.0 and 222.1570.0.

Surcharge

¹ 4 colours for leatherette upholstery in "classic" quality without surcharge.

² 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.

¹ classic ² comfort



Model No. Description

221.1860.0 Examination/Blood sampling chair¹²³ CEID


base of rectangular tube, powder coated in RAL 9002, RAL 9006 or RAL 9007, seat, backrest and armrests upholstered in leatherette classic black 57. Unassembled delivery.

Safe working load: 225 kg.

200.6610.0 Special coloured finish of frame

acc. to colour chart.

Surcharge



242.2351.0 Drip-feed stand (€™

5-arm base of 18/10 stainless steel frame, drip glass, double plastic castors diam. 50 mm, 2 of which lockable, antistatic, upper section with 4 18/10 stainless steel hooks, drip glass, height adjustment from 1,350 to 2,150 mm, one-hand action, footprint 635 mm.

Safe working load: 2 kg (per hook).

³ further colours for leatherette upholstery in "classic" quality without surcharge.

² 15 colours for leatherette upholstery in "comfort" quality (surcharge). Please see page 40.

Standard powder-coating colours for frame: grey-white 9002, white aluminium RAL 9006 or grey aluminium RAL 9007. Please indicate desired colour upon order placement.



varimed® medi-net general purpose table





233.6060.0 medi-net general purpose table³

rectangular steel tube frame, collapsible, powder coated grey white RAL 9002, white aluminium RAL 9006 or grey aluminium RAL 9007, drawer with pre-assembled black galvanized ball bearing precision runners, table top, shelf and drawer front in pearl white 60 plastic veneers, handle for drawer front powder coated in grey white RAL 9002, white aluminium RAL 9006 or grey aluminium RAL 9007, 4 double castors diam. 75 mm.

The medi-net table 233.6060.0 can be fitted with 2 more drawers, in addition to the one standard drawer.

Unassembled delivery.

medi-net Safe working load: Totally: up to 50 kg

Drawer: up to 10 kg
Top/shelf: up to 20 kg

201.3000.0 1 additional drawer with handle

200.6600.0 Coloured frame acc. to colour chart

Surcharge

200.6650.0 Coloured handle acc. to colour chart

Surcharge

Standard powder-coating colours for frame:
 9002, RAL 9006 or RAL 9007.
 Please indicate desired colour upon order placement.























varimed® Accessories for medi-net general purpose table

Model	No.	Descri	ption

201.3000.0 1 drawer

(w/o ill.) with handle, running slides for subsequent fitting,

(internal dimensions: 510 × 413 × 90 mm, W x D x H)



75 mm Ø.

Surcharge

201.1300.0 Cable guide

with fixing clamp 201.1910.0, 16 mm Ø.

201.1170.0 1 round SST tray


diam. 320 mm,

with fixing clamp 201.1900.0, diam. 10 mm

2-section, with 4 hooks and fixing clamp 201.1920.0, diam. 18 mm, safe working load: 2 kg (per hook)







Model No. Description

201.1610.0 Cannula and syringe dispenser

grey, first in/first out system, with twin set incl. swab dispenser, requires fixing brackets 201.1700.0

201.1640.0 Cannula and syringe dispenser

grey, first in/first out system, without right twin set, requires fixing brackets 201.1700.0

201.1650.0 Cannula and syringe dispenser

grey, first in/last out system, with twin set incl. swab dispenser, requires fixing brackets 201.1700.0


201.1660.0 Cannula and syringe dispenser

grey, first in/last out system, without twin set, requires fixing brackets 201.1700.0

201.1700.0 Fixing bracket, 1 pair

for use with 201.1610.0, 201.1640.0, 201.1650.0 and 201.1660.0

varimed® Accessories for medi-net general purpose table



Model No. Description


201.1800.0 Console

SST 18/10 with fixing brackets

201.1900.0 Fixing clamp (w/o ill.) 10 mm Ø

201.1910.0 Fixing clamp (w/o ill.) 16 mm Ø


201.1920.0 Fixing clamp (w/o ill.) 18 mm Ø



Model No. Description

201.2600.0 Ampule opener

"Cupfix"



201.2700.0 "Medi-Müll"

disposal set 1,5 l, 20 boxes made of polypropylene with red lid, with holder


201.2710.0 "Medi-Müll" spare boxes

(w/o ill.) 1,5 l, carton of 100 boxes, without holder

201.2720.0 Holder


(w/o ill.) as 201.2700.0, however without boxes.

(Holders for different systems upon request)



201.2800.0 Refuse collector

with roll of bags, powder coated grey white



(w/o ill.) for 201.2800.0

varimed®

Model and material description

Couches

Tubular steel frame 40×20 mm, pair of feet 30×30 mm, powder-coated or chrome-plated. With levelling feet to compensate for floor unevenness. Head section with 2 adjustment mechanisms, 100% metal.

medi-net

Tubular steel frame 20 × 20 mm, plastic enamel coated.

Castors

All castors are non-marking and resistant to abrasions.

Drawers

Drawers run on precision ball-bearing slides.

Handles

of ergonomic design, distance of holes: 192 mm. The bowed bar handles are chemical resistant, easy to clean and to disinfect.

Powder coated finish

of high quality, multilayer gloss paint of extreme knock and scratch resistance. Easy to clean. Resistant to climatic conditions and disinfectants.

Standard finish of tubular steel frames

e.g. for couches: grey white RAL 9002, white aluminium RAL 9006, grey aluminium RAL 9007 or chromium-plated. Please refer to the different model descriptions.

Frames of couches, medi-net trolleys or stool bases

are also available in other colour acc. to colour chart at extra charge.

Further special powder coatings

acc. to RAL colour chart on request!

Upholstery

Foamed material on a support plate, with first-class, hard-wearing leatherette covers in two qualities.

Leatherette comfort (available for an additional charge): 15 colour tones Wear-resisting material, with high resilience and flexibility providing excellent sitting and lying comfort. Grained surface.

Leatherette classic (available at no extra charge): 4 colour tones Hard-wearing, flexible material. Smooth surface.

We recommend:


Accessories for upholstery cleaning

Model No.	Description
2019878 (w/o ill.)	Special cleaner for leatherette 500 ml spray bottle (packaging unit 3 bottles)
2026973 (w/o ill.)	Cleaning set for leatherette 1 × 500 ml spray bottle and a brush


Please refer to our separate operating manual for upholsteries for detailed information on cleaning and disinfection of upholsteries.

Leatherette comfort

Leatherette Powder coated finishes classic









Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владикавказ (8672)28-90-48 Владикавказ (8672)28-90-48 Владикарказ (844)278-03-48 Волоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Ижевск (3412)26-03-58 Иваново (4932)77-34-06 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Капуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Когломна (4962)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Ноябрьск (3496)41-32-12 Новосибирск (3383)227-86-73 Ноябрьск (3496)41-32-12 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенаа (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Суруту (3462)77-98-35
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35 Тольяти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Улан-Удэ (3012)59-97-51 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)83-34-83 Жкутск (4112)23-90-97 Ярославль (4852)69-52-93